Sheet 1 of 7 Serial No.: 10/074,328 JUL O 8 2005 Attorney Docket No.: FORS-06930 U.S. Department of FORM PTO-1449 Commerce (Modified) Patent and Trademark Office Applicant: Mary Ann D. BROW et al. (Modified)
INFORMATION DISCLOSURE STATEMENT BY APPLICANT
(Use Several Sheets IKNecessary)
RADE Group Art Unit: 1634 Filing Date: 02/12/02 **U.S. PATENT DOCUMENTS** kaminer Inkjals Cite Serial / Patent Issue Date Applicant / Patentee Class Subclass Filing Date Number No. 6 12/02/96 07/18/2000 Prudent et al. 435 6,090,606 12/02/96 6 6,090,543 07/18/2000 Prudent et al. 07/12/96 6,001,567 435 6 12/14/99 Brow et al. 03/24/97 11/30/99 Hall et al. 435 6 ,994,069 4 11/26/96 5,983,557 11/16/99 Prudent et al. 435 6 5 451 08/19/97 204 06/29/99 Madabhushi et al. 6 5,916,426 91.53 02/19/97 7 5,888,780 03/30/99 Dahlberg et al. 435 83/16/99 Ullman et qu 435 07/07/95 8 5,882,867 6 02/23/09 Harrington et al. 435 252 05/30/95 9 5,874,283 01/24/97 12/08/98 Byow et al. 435 6 10 5,846,717 6 11/29/96 12/01/98 Kaiser et al. 435 11 5,843,669 435 07/07/95 12 5,843,654 12/01/98 Heisler et al. 6 JUPITCATES 11/17/98 435 6 06/06/95 5,837,450 Dahlberg et al. 13 07/11/95 11/03/98 Rosemeyer et al. 435 6 14 5,830,664 06/17/97 15 5,807,682 09/15/98 Grossman et al. 435 6 5,795,763 08/18/98 Dahlberg et al 435 194 06/06/95 16 08/11/92 6 08/02/96 Western et al. 435 17 5,792,614 07/21/98 Seibl et al. 435 6 11/22/95 18 5,783,392 67/07/98 05/06/96 24.3 19 5,777,096 Grossman et al. 536 20 5,719,028 02/17/98 Dahlberg et al. 6 02/06/97 536 11/21/95 12/30/97 24.3 5,703,222 Grossman et al. 21 09/16/96 12/16/97 435 6 22 5,698,400 Cotton et al. 06/06/96 23 5,691/142 11/25/97 Dahlberg et al. 435 06/07/95 5,660,988 08/26/97 Duck et al. 435 24 199 06/06/94 25 5,614,402 03/25/97 Dahlberg et al. 435 09/16/92 5,601,976 02/11/97 435 6 26 Yamane et al. 2/22/94 5, 545,729 08/13/96 Goodchild et al. 536 24.5 07/30/96 536 23.7 06/04/93 5,541,311 Dahiberg et al. 08/4/93 29 5,514,543 05/07/96 435 6 Grossman et al. 02/27/96 91.52 11/22/94 30 5,494,810 Barany et al. 435 01/30/96 31 5,487,972 435/6 435/91.2 01/05/93 Geland et al. Examiner: Date Considered:

Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with

EXAMINER:

next communication to applicant.

Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with

Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with .

DUPLECATI

EXAMINER:

next communication to applicant.

		./	\01; e \%		·			
ĺ	FORM PTO-14	149	JUL 0 8 2005 W	U.S. Department of	Attorney Docket No.: FORS-06930	Serial No.: 10/074,328		
	Commerce (Modified)	P	10r 0 6 5000 H	Patent and Trademark Office Applicant: Mary Ann D. BROW et al.		,		
	INFORMATION DISCS OSURE STATE OF BY APPLICANT (Use Several Sheets if Necessary)							
1	(37 CFR § 1.98(b))				Filing Date: 02/12/02	Group Art Unit: 1634		
Ì	OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication)							
		87	Copley and Boot, "Exonuclease Cycling Assay: An Amplified Assay for the Detection of Specific DNA Sequences," BioTechniques 13:888-(1992)					
	\	88	Cuthbert, "Hepatitis C	Progress and Problems," Clin. Microbiol.	Rev. 7:505-532 (1994)	/		
	-		DeMott et al., "Human RAD2 Homolog 1 5'-3'-Exo/Endonuclease Can Efficiently Excise a Displaced DNA Fragment Containing a 5'-Terminal Abasic Lesion by Endonuclease Activity," J. Biol. Chem. 271:30068-30076 (1996)					
	;·	90	Doty et al., "Strand Separation and Specific Recombination in Deoxyribonucleic Acids: Physical Chemical Studies," Proc. Natl. Acad. Sci. USA 46:461-476 (1960)					
Y		91	Duck et al., "Probe Amplifier System Based on Chimeric Cycling Oligonucleotides," BioTech., 9:142-147 (1990)					
K	·	92	Dunn et al., "Complete Nucleotide Sequence of Bacteriophage T7 DNA and the Locations of T7 Genetic Elements," J. Mol. Biol. 166:477-535 (1983)					
\\J\				of Thermus Aquaticus DNA Polymerase F	According DNA Polymorphis Europeand in Echamichia anti " Anal Biocham 101:306.400 (1000)			
V	93 Engelke, "Purification of <i>Thermus Aquaticus</i> DNA Polymerase Expressed in <i>Escherichia coli</i> ," <i>Anal. Biochem</i> 191:396-40 94 Eom et al., "Structure of <i>Tag</i> polymerase with DNA at the polymerase active site," <i>Nature</i> 382:278-282 (1996)							
4		95	Erlich et al., "Recent Advances in the Polymerase Chain Reaction," Science 252:1643-1651 (1991) Fahy et al., "Self-sustained Sequence Replication (3SR): An Isoshermal Transcription-based Amplification System Alternative to PCR," PCR					
1,		96	Meth. Appl., 1:25-33 (1991)					
H		97	Garforth et al., "Structure-specific DNA binding by bacter ophage T5 5'-3' exonuclease," Nucleic Acids Res. 25:3801-3807 (1997)					
2	•	98 -			Amplification (H.A. Erlich, Ed.), Stockton			
3	· ·	99	Guatelli et al., "Isothermal, in vitro amplification of nucleic acids by a multienzyme reaction modeled after retroviral replication," Proc. Natl. Acad. Sci., 87:1874-1878 (1990) with an erratum at Proc. Natl. Acad. Sci., 87:7797 (1990)					
$\tilde{\wedge}$	Harrington et al., "DNA Structural Elements Required for NEN-1 Binding," J. Biol. Chem. 270:4503-4508 (1995) Harrington et al., "The characterization of a mammalian DNA structure-specific endonuclease," EMBO Journ. 13:1235-1246 (1994)							
	-	102	Harrington and Lieber, "Functional domains within FEN-1 and RAD2 define a family of structure-specific endonucleases: implications for nucleotide excision repair," Genes and Develop. 8:1344-1355 (1994)					
7		103	Hayashi, "PCR-SSCP	: A Simple and Sensitive Method for Dete	ction of Mutations in the Genomic DNA," P	CR Meth. Appl., 1:34-38, (1991)		
7		104	Higuchi, R., In Ehrlich	H.A. (Ed.), PCR Technology: Principles	and Applications for DNA Amplification, S	tockton Press, New York, pp. 61-70		
F		105	Hiraro et al. "Most compact hairpin-turn structure exerted by a short DNA fragment, d(GCGAAGC) in solution: an extraordinarily stable structure resistant to nucleases and heat," Nuc. Acids Res. 22:576-582 (1994)					
		106	Holland et al., "Detection of specific polymerase chain reaction product by utilizing the 5'-3' exchaclease activity of Thermus aquaticus DNA polymerase," Proc. Natl. Acad. Sci. USA 88:7276-7280 (1991)					
X		107	Hoefield et al., "Struc VActivity," Cell 95:1:	ture of the DNA Repair and Replication Er 35-146 (1996)	idonuclease and Exonuclease FEN-1: Coupl	ing DNA and PCNA Binding to FEN-		
		108	Hosfield et al., "Newl Catalysis Resembling	y Discovered Archaebacterial Flap Endonu Human Flap Endonuclease-1," J. Biol. Che	cleases Show a Structure-Specific Mechanisem. 273:27154-17161	for DNA Substrate Binding and		
		109	Huang et al., "Role of	Calf RTH-1 Nuclease in Removal of 5'-Ri	bonucleotides during Okazaki Frament Proc	essing, Biochemistry 35:9266-9277		
		110	Hwang et al., "The cr	vstal structure of flap endonuclease-1 from	Methanococcus jannaschii," Nature Structu	ral Biology 5:707-713 (1998); I		
	' /	111		of Conserved Sequences from Hepatitis C	Virus for the Detection of Viral RNA in Inf			
	112 Ito et al., "Compilation and alignment of DNA polymerase sequences," Nucl. Acids Res. 19:4045-4057 (1991) Examiner: Date Considered: 10/20/05							
	EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with							

Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with

EXAMINER:

next communication to applicant.

	/	OIPE		.	Sheet 6 of 7				
FORM PTO-144	19	0 0 200° S	U.S. Department of	Attorney Docket No.: FORS-06930	Serial No.: 10/074,328				
Commerce (Modified)	PA	JUL 0 8 2005 (3)	Patent and Trademark Office	Applicant: Mary Ann D. BROW & al.	·				
THE PART OF THE STATE OF THE ST									
(Use Several Sh		DE CELEBRATION		Filing Date: 02/12/02	Group Art Unit: 1634				
(37 CFR § 1.98(b)) OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication)									
		Murante et al., "Calf 5' to 3' Exo/Endonuclease Must Slide from a 5' End of the Substrate to Perform Structure-specific Cleavage," J. Biol. Chem.							
	139	270:30377-30383 (1995)							
· ·	140	Murante et al., "The Calf 5'- to 3'-Exonuclease Is Also an Endonuclease with Both Activities Dependent on Primers Annealed Upstream of the Point of Cleavage," J. Biol. Chem. 269:1191-1196 (1994)							
	141	Murray et al., "Structural and Functional Conversation of the Human Homolog of the Schizosaccharomyces pombe rad2 gene, Which is Required for Chromosome Segregation and Recovery from DNA Damage," Molecular and Cellular Biology 14:4878-4888 (1994)							
•	Myers et al., "Reverse Transcription and DNA amplification by a Thermus thermophilus DNA Polymerase," Biochem. 30:7661-7666 (1991)								
	143								
•	144	Nolan et al., "Kinetic Analysis of Human Flap Endonuclease-1 by Flow Cytometry," Biochemistry 35:11668-11677 (1996)							
·	145	Nugent et al., Chara	cterization of the Apurinic Endonuclease A	ctivity of Drosophila Rrpl," Biochemistry 32:	11445-11452 (1993)				
	146								
	147	Pontius and Berg, "Rapid renaturation of complementary DNA strands mediated by cationic detergents: A role for high-probability binding							
	Rao et al., "Methanococcus jannaschii Flap Endonuclease: Expression, Purification, and Substrate Requirements," J. of Bacteriology 180:540 148 5412;								
	Reagan et al., "Characterization of a Mutant Strain of Saccharomyces cerevisiae with a Deletion of the RAD27 Gene, a Structural Homolog of the RAD2 Nucleotide Excision Repair Gene," J. of Saccharomyces cerevisiae with a Deletion of the RAD27 Gene, a Structural Homolog of the RAD2 Nucleotide Excision Repair Gene, "J. of Saccharomyces cerevisiae with a Deletion of the RAD27 Gene, a Structural Homolog of the RAD2 Nucleotide Excision Repair Gene," J. of Saccharomyces cerevisiae								
	150 Roychoudhury and Wu, "Novel Properties of Escherickia coli Exonuclease III," J. Biol. Chem. 252-4786-4789 (1997)								
	151 Saiki et al., "Primer-Directed Enzymatic Amplification of RNA with a Thermostable DNA Polymerase," Science 239:487-491 (1988);								
	152								
	153 Setlow and Komberg, "Deoxyribonucleic Acid Polymerase: Two Distinct Enzymes in One Polypeptide," J. Biol. Chem. 247:232-240 (1972);								
	154	Siegal et al., "A 5' to	exonuclease functionally interacts with ca	alf DNA polymerase e," Proc. Natl. Acad. Sc	i. USA 89:9377-9381 (1992);				
	155	Shen et al., "Flap end	lonuclease homologs in archaebacteria exist	as independent proteins," TIBS 23 (1998);					
	156 Shen et al., "Essential Amino Acids for Substrate Binding and Catalysis of Human Nap Endonuclease 1," J. of Biol. Chem. 271:9173-9176 (1								
	Smith et al. Novel Method of Detecting Single Base Substitutions in RNA Molecules by Differential Melting Behavior in Solution," Genominating 3:217-223/1988);								
·	Sommers et al., "Conditional Lethality of Null Mutations in RTHI That Encodes the Yeast Counterpart of a Mammalian 5'- to 3'-Exonuclease 158 Required for Lagging Strand DNA Synthesis in Reconstituted Systems," J. of Biol. Chem. 270:4198-4196 (1995);								
	Stark, "Multicopy expression vectors carrying the <i>lac</i> repressor gene for regulated high-level expression of genes in <i>Escherichia coli</i> ," <i>Gene</i> 5:255-267 (1987);								
	Studier and Moffatt, "Use of Bacteriophage T7 RNA Polymerase to Direct Selective High-level Expression of Cloned Genes," J. Mol. Biol. 189:113-130 (1986);								
	Tindall and Kunkel, "Fidelity of DNA by the <i>Thermus aquaticus</i> DNA Polymerase," <i>Biochem.</i> 27:6008-6013 (1988).								
	Turchi et al., "Enzymatic completion of mammalian lagging-strand DNa replication," Proc. Natl. Acad. Sci. USA 91:3803-9807 (1994);								
	163 Uhlenbeck, "A small catalytic oligoribonucleotide," Nature 328:596-600 (1987);								
	Urdea et al., "A novel method for the rapid detection of specific nucleotide sequences in crude biological samples without blotting or radioactivity; application to the analysis if hepatitis B virus in human serum," Gene 61:253-264 (1987);								
= /	Wartell et al., "Detecting base pari substitutions in DNA fragments by temperature-gradient gel electrophoresis," Nucl. Acids Res., 18:2699-270								
Examiner: Dehaune Sitt Date Considered: 10/20/05									
The state of the s									

EXAMINER:

Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

	/	01.6	•	•				
FORM PTO-144 Commerce	9	JUL 0 8 2005	U.S. Department of	Attorney Docket No.: FORS-06930	Serial No.: 10/074,328			
(Modified)	PE	JUL 8 0 2000 E	Patent and Trademark Office	Applicant: Mary Ann D. BROW et al.				
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary)								
(37 CFR § 1.98(t))	MADERAPER	<u>·</u>	Filing Date: 02/12/02	Group Art Unit: 1634			
OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication)								
	166	Wu and Wallace, "The Ligation Amplification Reaction (LAR) - Amplification of Specific DNA Sequences Using Sequential Rounds of Template- 66 Dependent Ligation," Genomics 4:560-569 (1989);						
	Wu et al., "Processing of branched DNA intermediates by a complex of human FEN-1 and PCNA," Nucleic Acids Research 24:2036-2043 (1996);							
	Xu et al., "Biochemical and Mutational Studies of the 5'-3' Exopoclease of DNA Polymerase 1 of Escherichia coli," J. Mol. Biol. 268:284-302 (1997);							
• •	Zwickl eval., "Glyceraldehyde-3-Phosphate Dehydrogerase from the Hyperthermophilic Archaebacterium Pyrococcus woesei: Characterization of the Enzyme Cloning and Sequencing of the Gene, and Expression in Escherichia coli," J. Bact. 172:4329-4338 (1990);							
	Hiraoka et al., "Sequence of human FEN-1, a structure specific endonuclease, and chromosomal localization of the gene (FEN1) in mouse and human," Genomics 25:220-225 (1995);							
	Augustyns et al., "Hybridization specificity, enzymatic activity and biological (Ha-ras) activity of oligonucleotides containing 2,4-dideoxy-beta-I erythro-hexopyranosyl nucleosides," Nucleic Acids Res. 21:4670-4676 (1993);							
	172 Agrawal et al., "Modified oligopucleotides as therapeutic and diagnostic agents," Current Opinion in Biotechnology, 6:12-19 (1995);							
	173 Corey, "4800-fold Acceleration of Hybridization of Chemically Modified Oligonucleotides," J. of the Amer. Chem. Soc. 117:9373-9374 (1995);							
	174 Cotton, "Current methods of mutation detection," Mutation Research 285:125-144 (1993);							
•	175	Schmidt et al., "The use of oligonucleotide probes containing 2'-deoxy-2'flooronucleosides for regiospecific cleavage of RNA by RNaseH from Escherichia coh," Biochimica et Biophysica Acta. 1130:41-46 (1991);						
	Gamper & al., "Solution Hybridization of Crosslinkable DNA Oligonucleotides to Basteriophage M13 DNA," J. Mol. Biol. 197:349-362 (1987)							
	177 Southern, "Detection of Specific Sequences Among DNA Fragments Seperated by Gel Electrophoresis," J. Mol. Biol. 98:503-517 (1975)							
	178 Lyma et al., "Implication of RNA Structure on Antisense Oligonucleotide Hybridization Kinetics, Riochemistry 31:12055-12061 (1992)							
·	179	Lee et al., "Allelic disc	rimination by nick-translation PCR with fi	luorogenic probes," Nucleic Acids Res. X(16):3761-3766 (1993)			
	Livak et al., "Oligonucleotides With Fluorescent Dyes at Opposite Ends Provide a Quenched Probe System, Usaful for Detecting PCR Product and Nucleic Acid Hybridization," PCR Methods and Appln. 4:357-362 (199)							
	181 Sigman et al., "Chemical Nucleases," Chem. Rev. 93:2295 (1993)							
	182 Abramson et al., "Characterization of the 5'-3' Exonuclease Activity of Thermus Aquaticus DNA Polymerase," FASEB J. 5(4) 385 (1991)							
Examiner: Oakame Soft Date Considered: 10/20/05								
EXAMINERGY: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.								